

CLAIM AMENDMENTS

IN THE CLAIMS

This listing of the claims will replace all prior versions, and listing, of claims in the application or previous response to office action:

1-12. (Previously Cancelled)

13. **(Currently Amended)** A method for operating terminals of a mobile radio communication system, in at least one local wireless network, comprising:

storing a plurality of items of access information on a terminal, the access information including at least one first item of identification information for the mobile radio communication system, and at least one second item of identification information for a local area network, the second item of identification information comprising:

a first item of network information indicating the location of the local area network,

a second item of network information indicating the type of the local area network,

a third item of network information indicating at least one third party service provided by a third party via the local area network, wherein the third party service comprises access to one or more applications offered at the location, and

a fourth item of network information uniquely identifying the local area network;

wherein the first, second, third, and fourth items of network information are stored in the same item of identification information; and

based at least on the first, second, third, and fourth items of network information **stored in the same item of identification information**, establishing and permitting a connection to a local wireless network to receive at least a portion of the third party service via the local area network.

14. (Previously Cancelled)

15. (Previously Presented) The method according to Claim 13, wherein the first, second and/or third items of network information are encoded by means of a maximum of three decimal digits.

16. (Previously Presented) The method according to Claim 13, wherein the fourth item of network information is encoded by means of a maximum of five decimal digits.

17. (Previously Presented) The method according to Claim 13, wherein the second items of identification information are stored as a first list organized in such a way that the first list contains those second items of identification information that are assigned to local area networks which allow the operation of the terminal within the local area network.

18. (Previously Presented) The method according to Claim 13, the second items of identification information are stored as a first list organized in such a way that the first list contains those second items of identification information that are assigned to local area networks which forbid the operation of the terminal within the local area network.

19. (Previously Presented) The method according to Claim 13, wherein the at least first item of access information is stored on a device serving for user identification, in particular a USIM module.

20. (Currently Amended) A method for operating terminals of a mobile radio communication system, in at least one local wireless network, comprising:

storing a plurality of items of access information on a terminal, the access information including at least one first item of identification information for the mobile radio communication system, and at least one second item of identification information for a local area network, the second item of identification information comprising:

a first item of network information indicating the location of the local area network,

a second item of network information indicating the type of the local area network,

a third item of network information indicating at least one third party service provided by a third party via the local area network, wherein the third party service comprises access to one or more applications offered at the location, and

a fourth item of network information uniquely identifying the local area network;

wherein the first, second, third, and fourth items of network information are stored in the same item of identification information;

requesting a connection to the local wireless network via the terminal; accessing the stored access information; and

based at least on the first, second, third, and fourth items of network information **stored in the same item of identification information**, establishing and permitting a connection to a local wireless network to receive at least a portion of the third party service via the local area network.

21. (Previously Cancelled)

22. (Previously Presented) The method according to Claim 20, wherein storing the first, second and/or third items of network information includes encoding the information in a memory using a maximum of three decimal digits.

23. (Previously Presented) The method according to Claim 20, wherein the storing of the fourth item of network information includes encoding information in a memory using a maximum of five decimal digits.

24. (Previously Presented) The method according to Claim 20, further comprising storing the second items of identification information as a first list organized in such a way that the first list contains those second items of identification information that are assigned to local area networks which allow the operation of the terminal within the local area network.

25. (Previously Presented) The method according to Claim 20, further comprising storing the second items of identification information as a first list organized in such a way that the first list contains those second items of identification information that are assigned to local area networks which forbid the operation of the terminal within the local area network.

26. (Currently Amended) A method for operating terminals of a mobile radio communication system, in at least one local wireless network, comprising:

storing a plurality of items of access information on a terminal, the access information including at least one first item of identification information for the mobile radio communication system, and at least one second item of identification information for a local area network, the second item of identification information comprising:

a first item of network information indicating the location of the local area network based on a mobile country code that uniquely identifies the country in which the local area network is operated,

a second item of network information uniquely indicating the type of the local area network,

a third item of network information uniquely indicating at least one third party service provided by a third party via the local area network, wherein the third party service comprises access to one or more applications offered at the location, and

a fourth item of network information uniquely identifying the local area network so that subscribers may be permitted access;

wherein the first, second, third, and fourth items of network information are stored in the same item of identification information; and

based at least on the first, second, third, and fourth items of network information stored in the same item of identification information, establishing and permitting a connection to a local wireless network to receive at least a portion of the third party service via the local area network.